

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 27/05/2022 Revision date: 15/01/2024 Supersedes version of: 27/05/2022 Version: 6.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Trade name : UNIVERSAL FLOOR CLEANER RESTORER

UFI : TUT2-N0SD-Q00X-3PVC

Product code : BD230-5
Type of product : Detergent
Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use

Industrial/Professional use spec : For professional use only

Use of the substance/mixture : Concentrated All Purpose Cleaner

1.2.2. Uses advised against
No additional information available

1.3. Details of the supplier of the safety data sheet

UK SUPPLER

JANGRO LTD, 1A Parklands, 3rd Floor, Lostock, Bolton, BL6 4SD

Tel: 0044 (0) 1204 795 995 Fax: 0044 (0) 1204 576 801 Email: enquiries@jangrohg.net

Web: www.jangro.com

EU SUPPLIER

JANGRO LTD EUROPE, 6-9 Trinity Street, Dublin 2, D02 EY47, Ireland,

Tel: 00353 (0) 1 617 7911 email: enquiries@jangrohq.net Web: www.jangro.com

1.4. Emergency telephone number

Emergency number : 0044 (0) 1204 795 995

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2 H315

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Serious eye damage/eye irritation, Category 1 Full text of H- and EUH-statements: see section 16 H318

Adverse physicochemical, human health and environmental effects

Causes skin irritation. Causes serious eye damage.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)

GHS05 Signal word (CLP) : Danger

Contains : TETRASODIUM GLUTAMATE DIACETATE

Hazard statements (CLP) : H315 - Causes skin irritation.

H318 - Causes serious eye damage.

Precautionary statements (CLP) : P264 - Wash hands, forearms and face thoroughly after handling.

P280 - Wear protective gloves, protective clothing, eye protection. P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a doctor.

P332+P313 - If skin irritation occurs: Get medical advice/attention.
P362+P364 - Take off contaminated clothing and wash it before reuse.

EUH-statements : EUH208 - Contains 1,2-benzisothiazolin-3-one(2634-33-5). May produce an allergic

reaction.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
3-butoxypropan-2-ol; propylene glycol monobutyl ether substance with a Community workplace exposure limit	CAS-No.: 5131-66-8 EC-No.: 225-878-4 EC Index-No.: 603-052-00-8 REACH-no: 01-2119475527- 28	5 – 10	Skin Irrit. 2, H315 Eye Irrit. 2, H319
propan-2-ol; isopropyl alcohol; isopropanol substance with a Community workplace exposure limit	CAS-No.: 67-63-0 EC-No.: 200-661-7 EC Index-No.: 603-117-00-0 REACH-no: 01-2119457558-	5 – 10	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Sodium xylenesulphonate	CAS-No.: 1300-72-7 EC-No.: 215-090-9 REACH-no: 01-2119513350- 56	3 – 5	Eye Irrit. 2, H319
TETRASODIUM GLUTAMATE DIACETATE	CAS-No.: 51981-21-6 EC-No.: 257-573-7 REACH-no: 01-2119493601- 38	0.1 – 3	Skin Corr. 1, H314
1,2-benzisothiazolin-3-one	CAS-No.: 2634-33-5 EC-No.: 220-120-9 EC Index-No.: 613-088-00-6	< 0.1	Acute Tox. 4 (Oral), H302 (ATE=1020 mg/kg bodyweight) Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400 (M=1)

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
1,2-benzisothiazolin-3-one	CAS-No.: 2634-33-5 EC-No.: 220-120-9 EC Index-No.: 613-088-00-6	(0.05 ≤ C < 100) Skin Sens. 1, H317

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get

medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. Call a physician immediately.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : Skin Irrit. 2.

Symptoms/effects after eye contact : Serious eye damage/eye irritation, Category 2.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : The product is not flammable. Use extinguishing agent suitable for surrounding fire. Dry

powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes.

15/01/2024 (Revision date) EU - en 3/14

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

5.3. Advice for firefighters

Protection during firefighting : Wear personal protective equipment. Self-contained breathing apparatus. Protective

clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate area. Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment : For further information refer to section 8: "Exposure controls/personal protection". Wear

personal protective equipment.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : This material and its container must be disposed of in a safe way, and as per local

legislation.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Good ventilation of the workplace required. Avoid contact with skin and eyes. Wear

personal protective equipment.

Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this

product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)	
Ireland - Occupational Exposure Limits	
OEL TWA	200 ppm
OEL STEL	400 ppm
United Kingdom - Occupational Exposure Limits	
Local name	Propan-2-ol
WEL TWA (OEL TWA)	999 mg/m³

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)	
	400 ppm
WEL STEL (OEL STEL)	1250 mg/m³
	500 ppm

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Good ventilation of the workplace required.

8.2.2. Personal protection equipment

Personal protective equipment:

Wear suitable gloves.

Personal protective equipment symbol(s):







8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Colour : Purple.

Odour : characteristic.

Odour threshold : Not available

Melting point : Not applicable

Freezing point : < 0 °C

Boiling point : > 100 °C

Flammability : Not applicable

Explosive properties : Product is not explosive.

Oxidising properties : Oxidising solids Not applicable.

Explosive limits Not available : Not available Lower explosion limit : Not available Upper explosion limit : Not available Flash point Not available Auto-ignition temperature Decomposition temperature Not available рΗ : 11 - 12.5 Viscosity, kinematic : Not available

Solubility : Miscible with water. Soluble in water.

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Storage. Transport.

10.4. Conditions to avoid

Stable under recommended handling and storage conditions (see section 7).

10.5. Incompatible materials

Oxidizing agent. Reducing agents.

10.6. Hazardous decomposition products

On burning: release of carbon monoxide - carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Acute toxicity (dermal) : Not classified Acute toxicity (inhalation) : Not classified

TETRASODIUM GLUTAMATE DIACETATE (51981-21-6)		
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: EU Method B.1 bis (Acute Oral Toxicity - Fixed Dose Procedure)	
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal)), Guideline: EPA OPPTS 870.1200 (Acute Dermal Toxicity), Guideline: other:	
LC50 Inhalation - Rat	> 4.2 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)	
Sodium xylenesulphonate (1300-72-7)		
LD50 oral	> 7000 mg/kg bodyweight	
LD50 dermal	> 2000 mg/kg bodyweight	
3-butoxypropan-2-ol; propylene glycol mono	butyl ether (5131-66-8)	
LD50 oral rat	3300 mg/kg	
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)	
LC50 Inhalation - Rat (Vapours)	> 3.5 mg/l/4h	
propan-2-ol; isopropyl alcohol; isopropanol	(67-63-0)	
LD50 oral rat	5840 mg/kg	
LD50 oral	4396 mg/kg bodyweight	
LD50 dermal rat	13900 mg/kg	
LD50 dermal rabbit	12870 mg/kg	
LD50 dermal	12800 mg/kg bodyweight	
LC50 Inhalation - Rat (Dust/Mist)	46600 mg/l/4h	
LC50 Inhalation - Rat (Vapours)	72.6 mg/l/4h	
1,2-benzisothiazolin-3-one (2634-33-5)		
LD50 oral	1020 mg/kg bodyweight	
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)	
LD50 dermal	4115 mg/kg bodyweight	
LC50 Inhalation - Rat (Dust/Mist)	100 mg/l/4h	
Skin corrosion/irritation :	Causes skin irritation. pH: 11 – 12.5	

TETRASODIUM GLUTAMATE DIACETATE (51981-21-6)

pH ≈ 11.5

Serious eye damage/irritation : Causes serious eye damage.

pH: 11 **–** 12.5

TETRASODIUM GLUTAMATE DIACETATE (51981-21-6)

pH ≈ 11.5

Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

1,2-benzisothiazolin-3-one (2634-33-5)		
NOAEL (animal/female, F0/P)	112 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects)	
NOAEL (animal/female, F1)	56.6 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects)	
STOT-single exposure	: Not classified	
propan-2-ol; isopropyl alcohol; iso	propanol (67-63-0)	
STOT-single exposure	May cause drowsiness or dizziness.	
STOT-repeated exposure	: Not classified	
TETRASODIUM GLUTAMATE DIACETATE (51981-21-6)		

NOAEL (oral, rat, 90 days)	300 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents), Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents), Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents), Guideline: other:
3-butoxypropan-2-ol; propylene glycol mo	onobutyl ether (5131-66-8)
LOAEL (oral, rat, 90 days)	1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents), Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents)
NOAEL (oral, rat, 90 days)	350 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents), Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents)
NOAEL (dermal, rat/rabbit, 90 days)	880 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)

Aspiration hazard : Not classified

TETRASODIUM GLUTAMATE DIACETATE (51981-21-6)		
Viscosity, kinematic	Not applicable	
Sodium xylenesulphonate (1300-72-7)		
Viscosity, kinematic	Not applicable	
1,2-benzisothiazolin-3-one (2634-33-5)		
Viscosity, kinematic	Not applicable	

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse

effects in the environment.

Hazardous to the aquatic environment, short-term

acute

: Not classified

Hazardous to the aquatic environment, long-term

: Not classified

(chronic)

TETRASODIUM GLUTAMATE DIACETATE (51981-21-6)		
LC50 - Fish [1]	> 100 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)	

15/01/2024 (Revision date) EU - en 8/14

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

TETRASODIUM GLUTAMATE DIACETATE (51981-21-6) LC50 - Fish [2]	e: Salmo
gairdneri) EC50 - Crustacea [1] > 265 mg/l Test organisms (species): Daphnia magna EC50 - Crustacea [2] > 95.26 mg/l Test organisms (species): Daphnia magna ErC50 algae > 100 mg/l LOEC (chronic) > 265.7 mg/l Test organisms (species): Daphnia magna Duration: '21 d' NOEC (chronic) 224 mg/l Test organisms (species): other aquatic crustacea: Duration: '21 d' Sodium xylenesulphonate (1300-72-7) EC50 - Other aquatic organisms [1] > 1020 mg/l EC50 - Other aquatic organisms [2] IC50 algea (72 h) mg/l	e: Salmo
EC50 - Crustacea [2] > 95.26 mg/l Test organisms (species): Daphnia magna ErC50 algae ≥ 100 mg/l LOEC (chronic) > 265.7 mg/l Test organisms (species): Daphnia magna Duration: '21 d' NOEC (chronic) 224 mg/l Test organisms (species): other aquatic crustacea: Duration: '21 d' Sodium xylenesulphonate (1300-72-7) EC50 - Other aquatic organisms [1] > 1020 mg/l EC50 - Other aquatic organisms [2] IC50 algea (72 h) mg/l	
ErC50 algae ≥ 100 mg/l LOEC (chronic) > 265.7 mg/l Test organisms (species): Daphnia magna Duration: '21 d' NOEC (chronic) 224 mg/l Test organisms (species): other aquatic crustacea: Duration: '21 d' Sodium xylenesulphonate (1300-72-7) EC50 - Other aquatic organisms [1] > 1020 mg/l EC50 - Other aquatic organisms [2] IC50 algea (72 h) mg/l	
LOEC (chronic) > 265.7 mg/l Test organisms (species): Daphnia magna Duration: '21 d' NOEC (chronic) 224 mg/l Test organisms (species): other aquatic crustacea: Duration: '21 d' Sodium xylenesulphonate (1300-72-7) EC50 - Other aquatic organisms [1] > 1020 mg/l EC50 - Other aquatic organisms [2] IC50 algea (72 h) mg/l	
NOEC (chronic) 224 mg/l Test organisms (species): other aquatic crustacea: Duration: '21 d' Sodium xylenesulphonate (1300-72-7) EC50 - Other aquatic organisms [1] EC50 - Other aquatic organisms [2] IC50 algea (72 h) mg/l	
Sodium xylenesulphonate (1300-72-7) EC50 - Other aquatic organisms [1] > 1020 mg/l EC50 - Other aquatic organisms [2] IC50 algea (72 h) mg/l	
EC50 - Other aquatic organisms [1] > 1020 mg/l EC50 - Other aquatic organisms [2] IC50 algea (72 h) mg/l	
EC50 - Other aquatic organisms [2] IC50 algea (72 h) mg/l	
3-butoxypropan-2-ol: propylene glycol monobutyl ether (5131-66-8)	
The state of the s	
LC50 - Fish [1] 560 – 1000 mg/l Test organisms (species): Poecilia reticulata	
EC50 - Crustacea [1] > 1000 mg/l Test organisms (species): Daphnia magna	
EC50 96h - Algae [1] > 1000 mg/l Test organisms (species): Raphidocelis subcapitata (previous na Pseudokirchneriella subcapitata, Selenastrum capricornutum)	ımes:
propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)	
LC50 - Fish [1] 9640 mg/l	
LC50 - Fish [2] 11130 mg/l	
EC50 - Other aquatic organisms [1] 13299 mg/l EC50 waterflea (48 h)	
EC50 - Other aquatic organisms [2] > 1000 mg/l IC50 algea (72 h) mg/l	
1,2-benzisothiazolin-3-one (2634-33-5)	
LC50 - Fish [1] 16.7 mg/l Test organisms (species): Cyprinodon variegatus	
LC50 - Fish [2] 2.15 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: S gairdneri)	Salmo
EC50 - Crustacea [1] 2.94 mg/l Test organisms (species): Daphnia magna	
EC50 - Crustacea [2] 2.9 mg/l Test organisms (species): Daphnia magna	
EC50 - Other aquatic organisms [1] 2.94 mg/l EC50 waterflea (48 h)	
EC50 - Other aquatic organisms [2] 0.11 mg/l IC50 algea (72 h) mg/l	

12.2. Persistence and degradability

UNIVERSAL FLOOR CLEANER RESTORER	
Persistence and degradability	The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

12.3. Bioaccumulative potential

TETRASODIUM GLUTAMATE DIACETATE (51981-21-6)	
Partition coefficient n-octanol/water (Log Pow)	< 0

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)	
Partition coefficient n-octanol/water (Log Pow)	0.05

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

UNIVERSAL FLOOR CLEANER RESTORER Results of PBT assessment Produktet opfylder ikke PBT- og vPvB-klassifikationskriterierne

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional waste regulation : Disposal must be done according to official regulations.

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

14.1. UN number or ID number

 UN-No. (ADR)
 : UN 3266

 UN-No. (IMDG)
 : UN 3266

 UN-No. (IATA)
 : UN 3266

 UN-No. (ADN)
 : UN 3266

 UN-No. (RID)
 : UN 3266

14.2. UN proper shipping name

Proper Shipping Name (ADR) : CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (DISODIUM TRIOXOSILICATE)
Proper Shipping Name (IMDG) : CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (DISODIUM TRIOXOSILICATE)

Proper Shipping Name (IATA) : Corrosive liquid, basic, inorganic, n.o.s. (DISODIUM TRIOXOSILICATE)

Proper Shipping Name (ADN) : CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (DISODIUM TRIOXOSILICATE)
Proper Shipping Name (RID) : CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (DISODIUM TRIOXOSILICATE)

Transport document description (ADR) : UN 3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (DISODIUM

TRIOXOSILICATE), 8, III, (E)

Transport document description (IMDG) : UN 3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (DISODIUM

TRIOXOSILICATE), 8, III

Transport document description (IATA) : UN 3266 Corrosive liquid, basic, inorganic, n.o.s. (DISODIUM TRIOXOSILICATE), 8, III

Transport document description (ADN) : UN 3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (DISODIUM

TRIOXOSILICATE), 8, III

Transport document description (RID) : UN 3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (DISODIUM

TRIOXOSILICATE), 8, III

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 8
Danger labels (ADR) : 8

15/01/2024 (Revision date) EU - en 10/14

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878



IMDG

Transport hazard class(es) (IMDG) : 8
Danger labels (IMDG) : 8



IATA

Transport hazard class(es) (IATA) : 8
Danger labels (IATA) : 8



ADN

Transport hazard class(es) (ADN) : 8
Danger labels (ADN) : 8



RID

Transport hazard class(es) (RID) : 8
Danger labels (RID) : 8



14.4. Packing group

Packing group (ADR) : III
Packing group (IMDG) : III
Packing group (IATA) : III
Packing group (ADN) : III
Packing group (RID) : III

14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

14.6. Special precautions for user

Overland transport

Classification code (ADR) : C5
Special provisions (ADR) : 274
Limited quantities (ADR) : 5I
Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Mixed packing provisions (ADR) : MP19

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Portable tank and bulk container instructions (ADR) : T7 : TP1. TP28

Portable tank and bulk container special provisions

(ADR)

Tank code (ADR) : L4BN Tank special provisions (ADR) TU42 Vehicle for tank carriage ΑT Transport category (ADR) 3 Special provisions for carriage - Packages (ADR) V12 Hazard identification number (Kemler No.) 80

Orange plates

80 3266

Tunnel restriction code (ADR) Ε EAC code : 2X

Transport by sea

Special provisions (IMDG) : 223, 274 Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : E1 Packing instructions (IMDG) : P001, LP01 IBC packing instructions (IMDG) : IBC03

Tank instructions (IMDG) : T7 TP1, TP28 Tank special provisions (IMDG) : F-A EmS-No. (Fire) S-B EmS-No. (Spillage) Stowage category (IMDG) Α Stowage and handling (IMDG) SW2

Segregation (IMDG) SGG18, SG35

Properties and observations (IMDG) Reacts violently with acids. Causes burns to skin, eyes and mucous membranes.

Air transport

PCA Excepted quantities (IATA) : E1 PCA Limited quantities (IATA) Y841 PCA limited quantity max net quantity (IATA) · 1I : 852 PCA packing instructions (IATA) PCA max net quantity (IATA) 5L CAO packing instructions (IATA) : 856 CAO max net quantity (IATA) : 60L A3, A803 Special provisions (IATA) ERG code (IATA) 8L

Inland waterway transport

: C5 Classification code (ADN) : 274 Special provisions (ADN) : 5 L Limited quantities (ADN) : E1 Excepted quantities (ADN) Carriage permitted (ADN) Т : PP, EP Equipment required (ADN) Number of blue cones/lights (ADN) 0

Rail transport

Classification code (RID) : C5 Special provisions (RID) : 274 : 5L Limited quantities (RID) : E1 Excepted quantities (RID)

Packing instructions (RID) : P001, IBC03, LP01, R001

Mixed packing provisions (RID) : MP19 Portable tank and bulk container instructions (RID) T7 Portable tank and bulk container special provisions : TP1, TP28

(RID)

Tank codes for RID tanks (RID) : L4BN

15/01/2024 (Revision date) EU - en 12/14

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Special provisions for RID tanks (RID) : TU42
Transport category (RID) : 3
Special provisions for carriage – Packages (RID) : W12
Colis express (express parcels) (RID) : CE8
Hazard identification number (RID) : 80

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Detergent Regulation (648/2004)

Labelling of contents	
Component %	
phosphates, anionic surfactants, non-ionic surfactants <5	
optical brighteners	
benzisothiazolinone	

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out

SECTION 16: Other information

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:			
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road		
ATE	Acute Toxicity Estimate		
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008		
EC50	Median effective concentration		
IATA	International Air Transport Association		
IMDG	International Maritime Dangerous Goods		
LC50	Median lethal concentration		
LD50	Median lethal dose		
РВТ	Persistent Bioaccumulative Toxic		
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006		
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail		
SDS	Safety Data Sheet		
vPvB	Very Persistent and Very Bioaccumulative		

Full text of H- and EUH-statements:			
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4		
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1		
EUH208	Contains 1,2-benzisothiazolin-3-one(2634-33-5). May produce an allergic reaction.		
Eye Dam. 1	Serious eye damage/eye irritation, Category 1		
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2		
Flam. Liq. 2	Flammable liquids, Category 2		
H225	Highly flammable liquid and vapour.		
H302	Harmful if swallowed.		
H314	Causes severe skin burns and eye damage.		
H315	Causes skin irritation.		
H317	May cause an allergic skin reaction.		
H318	Causes serious eye damage.		
H319	Causes serious eye irritation.		
H336	May cause drowsiness or dizziness.		
H400	Very toxic to aquatic life.		
Skin Corr. 1	Skin corrosion/irritation, Category 1		
Skin Irrit. 2	Skin corrosion/irritation, Category 2		
Skin Sens. 1	Skin sensitisation, Category 1		
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis		

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
Skin Irrit. 2	H315	Expert judgement
Eye Dam. 1	H318	Expert judgement

SDS EU (REACHANNEX II) GREEN 2