

SAFETY DATA SHEET LIQUID WOOLSAFE

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name LIQUID WOOLSAFE

Product number S781

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses An effective extraction cleaner for wool and stain resistant nylon carpets.

WOOLSAFE Approved maintenance product for wool carpets and rugs.

Controlled pH and optical brightener free.

Can be used in conjunction with B107 Prespray Gold.

1.3. Details of the supplier of the safety data sheet

Supplier www.prochem.co.uk

Prochem Europe Ltd Oakcroft Road Chessington Surrey KT9 1RH

Telephone: 020 8974 1515 (office hours 8am to 5pm Monday to Friday)

Fax: 020 8974 1511 sales@prochem.co.uk

1.4. Emergency telephone number

Emergency telephone 020 8974 1515 (office hours 8am to 5pm Monday to Friday) 24 hr emergency number +44

1235 239670.

Emergency Action: In the event of a medical enquiry involving this product, please contact your doctor or local hospital accident and emergency department, who may seek advice from

the UK National Poisons Information Service, where our full product details are held.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (SI 2019 No. 720)

Physical hazards Not Classified

Health hazards Eye Irrit. 2 - H319

Environmental hazards Not Classified

Human health Irritating to eyes. Prolonged or repeated exposure may cause the following adverse effects:

skin irritation and dermatitis. Considered to be a low inhalation hazard at normal workplace temperatures. Ingestion may cause: Gastrointestinal symptoms, including upset stomach.

Nausea, vomiting.

Environmental The product is expected to be biodegradable.

2.2. Label elements

LIQUID WOOLSAFE

Hazard pictograms



Signal word Warning

Hazard statements H319 Causes serious eye irritation.

Precautionary statements P102 Keep out of reach of children.

P262 Do not get in eyes, on skin, or on clothing.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

 ${\sf P305+P351+P338} \; {\sf IF} \; {\sf IN} \; {\sf EYES:} \; {\sf Rinse} \; {\sf cautiously} \; {\sf with} \; {\sf water} \; {\sf for} \; {\sf several} \; {\sf minutes}. \; {\sf Remove} \; {\sf extraction} \; {\sf$

contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/ attention.

Detergent labelling 5 - < 15% phosphates, < 5% anionic surfactants, < 5% non-ionic surfactants, < 5% perfumes,

Contains Citral, DMDM Hydantoin, d-Limonene, Linalool, Iodopropynyl butylcarbamate

2.3. Other hazards

See section 8 for details of exposure limits.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

(2-Methoxymethylethoxy)propanol 5-10%

CAS number: 34590-94-8 EC number: 252-104-2

Substance with a Community workplace exposure limit.

Classification

Not Classified

Tetrapotassium pyrophosphate 1-5%

CAS number: 7320-34-5 EC number: 230-785-7

Classification

Eye Irrit. 2 - H319

Sodium xylenesulphonate 1-5%

Classification

Eye Irrit. 2 - H319

Alcohols C9-11, ethoxylated <3%

Classification

Acute Tox. 4 - H302 Eye Dam. 1 - H318

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

LIQUID WOOLSAFE

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation Move affected person to fresh air and keep warm and at rest in a position comfortable for

breathing. Get medical attention.

Ingestion Do not induce vomiting. Rinse mouth thoroughly with water. Give plenty of water to drink.

Never give anything by mouth to an unconscious person. Get medical attention.

Skin contact Rinse immediately with plenty of water. Get medical attention if irritation persists after

washing.

Eye contact Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide

apart. Continue to rinse for at least 15 minutes. Get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact Prolonged or repeated exposure may cause the following adverse effects: skin irritation and

dermatitis.

Eye contact Irritating to eyes.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctorTreat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

Water spray, dry powder or carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Specific hazards No unusual fire or explosion hazards noted.

Hazardous combustion Thermal decomposition or combustion products may include the following substances: Oxides

products of carbon. Acids - organic.

5.3. Advice for firefighters

Special protective equipment

No specific recommendations.

for firefighters

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet.

6.2. Environmental precautions

Environmental precautions Do not discharge into drains or watercourses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Absorb spillage with non-combustible, absorbent material. Collect and place in suitable waste

disposal containers and seal securely. Dispose of waste to licensed waste disposal site in

accordance with the requirements of the local Waste Disposal Authority.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

LIQUID WOOLSAFE

Usage precautions Wear protective clothing as described in Section 8 of this safety data sheet. Wash hands

thoroughly after handling. Wash contaminated clothing before reuse. Do not eat, drink or

smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Keep out of the reach of children. Store in closed original container at temperatures between

5°C and 30°C.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

(2-Methoxymethylethoxy)propanol

Long-term exposure limit (8-hour TWA): WEL 50 ppm 308 mg/m³

Sk

WEL = Workplace Exposure Limit. Sk = Can be absorbed through the skin.

8.2. Exposure controls

Protective equipment





Appropriate engineering

controls

Provide adequate ventilation.

Eye/face protection Side shield safety glasses are recommended when handling this product.

Hand protection It is recommended that gloves are made of the following material: Nitrile rubber. Protective

gloves should be inspected for wear before use and replaced regularly in accordance with the

manufacturers specifications.

Hygiene measures Wash hands thoroughly after handling. Wash contaminated clothing before reuse. Do not eat,

drink or smoke when using this product.

Respiratory protection Respiratory protection not required.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Clear liquid.

Colour Yellow. Amber.

Odour Lemon. Floral.

pH (concentrated solution): 9.5 pH (diluted solution): 8.5 @ 1%

Initial boiling point and range 100°C

Flash point Not applicable.

Evaporation rate Not determined.

Upper/lower flammability or

explosive limits

Not applicable.

LIQUID WOOLSAFE

Not determined. Vapour pressure Not determined.

1.08

Vapour density

Solubility(ies) Soluble in water. Partition coefficient Not determined. Not determined. Viscosity

Not applicable. **Explosive properties**

Oxidising properties Not applicable.

9.2. Other information

Relative density

Other information None.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended.

10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

Not determined.

10.4. Conditions to avoid

Conditions to avoid Store in closed original container at temperatures between 5°C and 30°C. Protect from

freezing and direct sunlight.

10.5. Incompatible materials

Materials to avoid Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Hazardous decomposition

Thermal decomposition or combustion products may include the following substances: Oxides

products

of carbon. Acids - organic.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects Ingestion may cause: Gastrointestinal symptoms, including upset stomach. Nausea, vomiting.

> systemic effects Considered to be a low inhalation hazard at normal workplace temperatures. Deliberate excessive inhalation may cause headache, dizziness and breathing irritation. High concentrations of vapours may irritate respiratory system and lead to headache, fatigue,

nausea and vomiting.

Acute toxicity - oral

ATE oral (mg/kg) 25,000.0

Skin corrosion/irritation

Skin corrosion/irritation Prolonged or repeated exposure may cause the following adverse effects: skin irritation and

dermatitis.

Serious eye damage/irritation

LIQUID WOOLSAFE

Serious eye damage/irritation Irritating to eyes.

Skin sensitisation

Skin sensitisation Contains Citral Limonene Linalool

Germ cell mutagenicity

Genotoxicity - in vivoNo effects expected based upon current data.

Carcinogenicity

Carcinogenicity No effects expected based upon current data.

Reproductive toxicity

Reproductive toxicity - fertility No effects expected based upon current data.

Toxicological information on ingredients.

(2-Methoxymethylethoxy)propanol

Acute toxicity - oral

Acute toxicity oral (LD₅₀ 5,135.0

mg/kg)

Species Rat

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ 20.0

mg/kg)

Species Rabbit

Tetrapotassium pyrophosphate

Acute toxicity - oral

Acute toxicity oral (LD₅₀ 2,000.0

mg/kg)

Species Mouse

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ 4,000.0

mg/kg)

Species Rabbit

Sodium xylenesulphonate

Acute toxicity - oral

Acute toxicity oral (LD₅₀ 7,200.0

mg/kg)

Species Rat

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ 2,000.0

mg/kg)

Species Rabbit

Acute toxicity - inhalation

LIQUID WOOLSAFE

Acute toxicity inhalation

(LC50 dust/mist mg/l)

Species Rat

ATE inhalation 6.41

(dusts/mists mg/l)

Alcohols C9-11, ethoxylated

Acute toxicity - oral

Acute toxicity oral (LD50

300.0

6.41

mg/kg)

Acute toxicity - dermal

Acute toxicity dermal (LD_∞ 2,000.0

mg/kg)

SECTION 12: Ecological information

12.1. Toxicity

Toxicity The product is not expected to be hazardous to the environment.

Ecological information on ingredients.

(2-Methoxymethylethoxy)propanol

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hours: >10000 mg/l, Fish

Acute toxicity - aquatic

invertebrates

 EC_{50} , 48 hours: 1919 mg/l, Daphnia magna

Acute toxicity - aquatic

plants

IC₅₀, 72 hours: >969 mg/l, Algae

Sodium xylenesulphonate

Acute aquatic toxicity

Acute toxicity - fish LC50, : 1000 mg/l,

Acute toxicity - aquatic

invertebrates

EC₅₀, : 1000 mg/l,

Acute toxicity - aquatic

plants

IC₅o, : 230 mg/l,

Alcohols C9-11, ethoxylated

Acute aquatic toxicity

Acute toxicity - fish LC50, : > 10 mg/l,

Acute toxicity - aquatic

invertebrates

EC₅₀, : > 1 mg/l,

Acute toxicity - aquatic

uqu

IC₅₀, : > 10 mg/l,

plants

12.2. Persistence and degradability

LIQUID WOOLSAFE

Persistence and degradability The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down in The Detergents Regulations (as amended).

Ecological information on ingredients.

(2-Methoxymethylethoxy)propanol

Chemical oxygen demand 2.02

12.3. Bioaccumulative potential

Bioaccumulative potential Not known.

Partition coefficient Not determined.

Ecological information on ingredients.

(2-Methoxymethylethoxy)propanol

Partition coefficient : 1.01

12.4. Mobility in soil

Mobility The product is soluble in water.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

assessment

This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal methodsDispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority. Empty containers should be rinsed with water then crushed

and disposed of at legal waste disposal site.

SECTION 14: Transport information

14.1. UN number

Not classified for transportation.

14.2. UN proper shipping name

None.

14.3. Transport hazard class(es)

ADR/RID class -

IMDG class -

14.4. Packing group

None.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

LIQUID WOOLSAFE

None.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations REACH Regulation UK SI 2019/758, as amended, and UK SI 2020/1577.

GB-CLP Regulation, UK SI 2019/720 and UK SI 2020/1567. Detergents (Amendment) (EU Exit) Regulations UK SI 2020/1617.

The Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No. 2677) (as

amended).

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

General information Telephone 020 8974 1515

Revision date 16/12/2020

Revision 4

Supersedes date 31/08/2016

Please note: Where abbreviations have been used elsewhere the full text has been written below, for the

classification of the product please refer to section 2.

Hazard statements in full H302 Harmful if swallowed.

H318 Causes serious eye damage. H319 Causes serious eye irritation.

Signature Aaron Saunders

For additional information on safety, training and use of this product, contact the supplier. This product is intended for professional use only. The information given is intended to be of assistance to users but is without guarantee. Variations can occur in application and users are advised to conduct their own tests. Suggestions for use neither give nor imply any guarantee as to the intended use.