

# SAFETY DATA SHEET STAIN PRO

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name STAIN PRO

Product number B144

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses A water based solvent and alkaline spotter for neutralising acidic or oily stains such as most

food, blood, vomit, water based inks, fresh tea and coffee, milk, cream and wine on carpet

and fabric.

#### 1.3. Details of the supplier of the safety data sheet

Supplier www.prochem.co.uk

Prochem Europe Ltd Oakcroft Road Chessington Surrey KT9 1RH

Telephone: 020 8974 1515 (office hours 8am to 5pm Monday to Friday)

Fax: 020 8974 1511 sales@prochem.co.uk

#### 1.4. Emergency telephone number

**Emergency telephone** 24 hr emergency number +44 1235 239670.

Emergency Action: In the event of a medical enquiry involving this product, please contact your doctor or local hospital accident and emergency department, who may seek advice from

the UK National Poisons Information Service, where our full product details are held.

### **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

Classification (SI 2019 No. 720)

Physical hazards Not Classified
Health hazards Not Classified
Environmental hazards Not Classified

Human health Splashes in the eyes may cause redness and irritation. Prolonged or repeated exposure may

cause the following adverse effects: skin irritation and dermatitis. Considered to be a low inhalation hazard at normal workplace temperatures. Excessive inhalation of spray, mist or vapour may cause temporary respiratory irritation. Product is alkaline and may be mildly

corrosive to mucous membranes. Ingestion may cause: nausea systemic effects

**Environmental** The product is expected to be biodegradable.

2.2. Label elements

Hazard statements NC Not Classified

## STAIN PRO

**Precautionary statements** P102 Keep out of reach of children.

P262 Do not get in eyes, on skin, or on clothing.

P280 Wear protective gloves.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P313 Get medical advice/ attention.

**Detergent labelling** < 5% anionic surfactants, < 5% non-ionic surfactants, < 5% perfumes, Contains DMDM

Hydantoin, Iodopropynyl butylcarbamate, Mixture of 5-Chloro-2-methyl-isothiazol-3(2H)-one

and 2-Methylisothiazol-3(2H)-one (3:1)

#### 2.3. Other hazards

See section 8 for details of exposure limits.

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

## (2-Methoxymethylethoxy)propanol

1-5%

Substance with a Community workplace exposure limit.

#### Classification

Not Classified

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

#### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

**Inhalation** Move affected person to fresh air and keep warm and at rest in a position comfortable for

breathing. Get medical attention if any discomfort continues.

**Ingestion** Do not induce vomiting. Rinse mouth thoroughly with water. Give plenty of water to drink.

Never give anything by mouth to an unconscious person. Get medical attention.

**Skin contact** Wash skin thoroughly with soap and water. Get medical attention if irritation persists after

washing.

Eye contact Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide

apart. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort

continues.

#### 4.2. Most important symptoms and effects, both acute and delayed

**Skin contact** Prolonged skin contact may cause redness and irritation.

**Eye contact** May cause temporary eye irritation.

# 4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor Treat symptomatically.

#### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

Water spray, dry powder or carbon dioxide.

## 5.2. Special hazards arising from the substance or mixture

## STAIN PRO

**Specific hazards** No unusual fire or explosion hazards noted.

Hazardous combustion

products

Thermal decomposition or combustion products may include the following substances: Oxides

of carbon.

5.3. Advice for firefighters

Special protective equipment

No specific recommendations.

for firefighters

#### SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions** Wear protective clothing as described in Section 8 of this safety data sheet.

#### 6.2. Environmental precautions

**Environmental precautions** Do not discharge into drains or watercourses or onto the ground.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up Absorb spillage with non-combustible, absorbent material. Collect and place in suitable waste

disposal containers and seal securely. Dispose of waste to licensed waste disposal site in

accordance with the requirements of the local Waste Disposal Authority.

#### 6.4. Reference to other sections

**Reference to other sections** For personal protection, see Section 8. For waste disposal, see Section 13.

#### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Usage precautions Wear protective clothing as described in Section 8 of this safety data sheet. Wash hands

thoroughly after handling. Wash contaminated clothing before reuse. Do not eat, drink or

smoke when using this product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Keep out of the reach of children. Store in closed original container at temperatures between

5°C and 30°C.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

# SECTION 8: Exposure controls/Personal protection

# 8.1. Control parameters

# Occupational exposure limits

## (2-Methoxymethylethoxy)propanol

Long-term exposure limit (8-hour TWA): WEL 50 ppm 308 mg/m<sup>3</sup>

Sk

WEL = Workplace Exposure Limit.

Sk = Can be absorbed through the skin.

#### 8.2. Exposure controls

# Protective equipment





## STAIN PRO

Appropriate engineering

controls

Provide adequate ventilation.

**Eye/face protection** Side shield safety glasses are recommended when handling this product.

Hand protection Nitrile gloves are recommended. Protective gloves should be inspected for wear before use

and replaced regularly in accordance with the manufacturers specifications.

Hygiene measures Wash hands thoroughly after handling. Wash contaminated clothing before reuse. Do not eat,

drink or smoke when using this product.

**Respiratory protection**Not required in normal use. For situations where recommended exposure limits may be

exceeded or where there is a risk of inhalation of fine spray mists, a suitable respirator face

mask is recommended.

## SECTION 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

Physical state Clear liquid.

Colourless.

Odour Mint.

**pH** pH (concentrated solution): 10.5

Initial boiling point and range 100°C

Flash point Not applicable.

Evaporation rate Not determined.

Upper/lower flammability or

explosive limits

Not applicable.

Vapour pressure Not determined.

Vapour density Not determined.

Relative density 1.02

Solubility(ies)

Partition coefficient

Not determined.

Viscosity

Not determined.

**Explosive properties** Not applicable.

Oxidising properties Not applicable.

9.2. Other information

Other information None.

9.2.1 – Information regarding

Not applicable.

physical hazard classes.

9.2.2 – Other safety

None

characteristics.

## SECTION 10: Stability and reactivity

## 10.1. Reactivity

**Reactivity** There are no known reactivity hazards associated with this product.

## STAIN PRO

10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended.

10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

products

Not determined.

10.4. Conditions to avoid

Conditions to avoid Store in closed original container at temperatures between 5°C and 30°C. Protect from

freezing and direct sunlight.

10.5. Incompatible materials

Materials to avoid Strong oxidising agents.

10.6. Hazardous decomposition products

Hazardous decomposition

Thermal decomposition or combustion products may include the following substances: Oxides

of carbon.

## SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

**Toxicological effects** Product is alkaline and may be mildly corrosive to mucous membranes. Ingestion may cause:

nausea systemic effects Considered to be a low inhalation hazard at normal workplace temperatures. Excessive inhalation of spray, mist or vapour may cause temporary respiratory

irritation.

Skin corrosion/irritation

Skin corrosion/irritation Prolonged or repeated exposure may cause the following adverse effects: skin irritation and

dermatitis.

Serious eye damage/irritation

Serious eye damage/irritation May cause temporary eye irritation.

Skin sensitisation

Skin sensitisation None known.

Germ cell mutagenicity

**Genotoxicity - in vivo**No effects expected based upon current data.

Carcinogenicity

Carcinogenicity No effects expected based upon current data.

Reproductive toxicity

Reproductive toxicity - fertility No effects expected based upon current data.

11.2 Information on Other

Hazards

11.2.1 Endocrine disrupting Not a

Not applicable.

properties:

11.2.2 Information on other None

hazards

Toxicological information on ingredients.

(2-Methoxymethylethoxy)propanol

## STAIN PRO

Acute toxicity - oral

Acute toxicity oral (LD<sub>50</sub> 5,135.0

mg/kg)

Species Rat

Acute toxicity - dermal

Acute toxicity dermal (LD<sub>50</sub> 20.0

mg/kg)

Species Rabbit

## SECTION 12: Ecological information

## 12.1. Toxicity

**Toxicity** The product is not expected to be hazardous to the environment.

#### Ecological information on ingredients.

## (2-Methoxymethylethoxy)propanol

Acute aquatic toxicity

Acute toxicity - fish LC50, 96 hours: >10000 mg/l, Fish

Acute toxicity - aquatic

invertebrates

EC₅o, 48 hours: 1919 mg/l, Daphnia magna

Acute toxicity - aquatic

plants

IC<sub>50</sub>, 72 hours: >969 mg/l, Algae

## 12.2. Persistence and degradability

Persistence and degradability The surfactant(s) contained in this product complies(comply) with the biodegradability criteria

as laid down in The Detergents Regulations (as amended). (Detergents (Amendment) (EU

Exit) Regulations UK SI 2020/1617).

#### Ecological information on ingredients.

### (2-Methoxymethylethoxy)propanol

Chemical oxygen demand 2.02

12.3. Bioaccumulative potential

Bioaccumulative potential Not known.

Partition coefficient Not determined.

Ecological information on ingredients.

## (2-Methoxymethylethoxy)propanol

Partition coefficient : 1.01

12.4. Mobility in soil

**Mobility** The product is soluble in water.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB This product does not contain any substances classified as PBT or vPvB.

assessment

## **STAIN PRO**

#### 12.6. Other adverse effects

Other adverse effects Not applicable.

12.7 Other Adverse Effects None

# SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

**Disposal methods**Dispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority. Empty containers should be rinsed with water then crushed

and disposed of at legal waste disposal site.

## **SECTION 14: Transport information**

## 14.1. UN number

Not classified for transportation.

#### 14.2. UN proper shipping name

None.

# 14.3. Transport hazard class(es)

ADR/RID class

IMDG class -

## 14.4. Packing group

None.

#### 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

# 14.6. Special precautions for user

None.

## 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

## SECTION 15: Regulatory information

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations REACH Regulation UK SI 2019/758, as amended, and UK SI 2020/1577.

GB-CLP Regulation, UK SI 2019/720 and UK SI 2020/1567.

Detergents (Amendment) (EU Exit) Regulations UK SI 2020/1617.

The Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No. 2677) (as

amended).

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

#### SECTION 16: Other information

General information Telephone 020 8974 1515

# **STAIN PRO**

**Revision comments** NOTE: Lines within the margin indicate significant changes from the previous revision.

Revision date 22/12/2022

Revision 6

Supersedes date 26/03/2021

Signature Aaron Saunders

For additional information on safety, training and use of this product, contact the supplier. This product is intended for professional use only. The information given is intended to be of assistance to users but is without guarantee. Variations can occur in application and users are advised to conduct their own tests. Suggestions for use neither give nor imply any guarantee as to the intended use.